



AUTOMOW[®]

CATALOGUE
2023

 Robot
Installation

www.auto-mow.cz






About Auto-Mow

AUTO-MOW is an international manufacturer and distribution company based in Denmark.

We design, produce, and sell innovative solutions for all aspects of the robotic lawnmower industry and are present throughout Europe and other parts of the world. Our range is vast, and we establish our set of values on quality, credibility, and service.

Auto-Mow consists of a competent, curious, and innovative workforce that thrives in a changing industry alongside constant technology development. Our core product line is cable, and we are proud to present it along with the rest of our products in this catalogue.

**INSTALLERS WORLDWIDE
USE OUR PRODUCTS**



CONTENT

Cables

Premium Safety Cable	7
Standard Cable	8
Basic Cable	9
PWM 600MH Cable Machine	10
PWM 600MH-LI Cable Machine	10
Installation Kits	11
Repair Kits	11
Robot ReDirect	11

AM Hybrid Grass	13
-----------------------	----

Garages

My Robot Home Plus/Compact	14
My Robot Home	15
The Infinity Home	15
Alpine Garage	16
The Cube	16
2 in 1 Flowerpot Garage	17
Wooden Shelter - wall mounted	17
BIGMOW.....	18
Ambrogio L400.....	19
Universal Garage	19

Blades

Endurance Safety Blades	22
Extreme Long-Life Safety Blades	22
Long-Life Safety Blades	22
Robomow RC RS Blades	23
Robomow RX RT Blade	23
Robomow RK Blades	23
Stihl Viking iMOW Small	24
Stihl Viking iMOW Large	24
Stihl Viking iMOW 6-Series Blade Set .	24
Ambrogio 8 Star Blades	25
Ambrogio 4 Star Blades	25
Ambrogio 4 Star Bended	25

AL-KO Robolinho 500-700 I/E/W Blades	26
AL-KO Robolinho 110, 1100, 3100, 4100 Blades	26
Belrobotic (BIGMOW) Blades	26
Honda Miimo Blades	27
Worx Blades	27
Bosch Blades	27

Tools

AM Wire stripper 5 in 1.....	30
AM Pro Tracker PLUS	31
AM Pro Tracker.....	31
Basic Tracker	31
AM Heat Gun	32

Connectors

Pro Heat Shrink Kits	33
Heat Shrink Repair kit	33
Heat Shrink Connectors	34
Heat Shrink Tube	34
Crimping Connectors	34
Pro Guide Cable Connectors	35
Docking Station Connectors	35
Scotchlock 314	35

Pegs

Biodegradable Pegs	36
Extreme Biodegradable Pegs	37
Plastic Pegs	37
Extreme Plastic Pegs	37
Docking Station Pegs	38

Winter Box	39
------------------	----



AUTO·MOW[®]

WE DESIGN, PRODUCE, AND SELL
INNOVATIVE SOLUTIONS FOR EVERY
ASPECT OF THE ROBOT MOWER INDUSTRY.

 +420 724 046 874

 obchod@auto-mow.cz  www.auto-mow.cz



AUTO-MOW IS HERE TO CHANGE THE ROBOT MOWER INDUSTRY



FREE SHIPPING

Free shipping is rare in the B2B market, but Auto-Mow wants to offer all our dealers free shipping. Our Free shipping will save you 8-15% compared to the product's total price.

Auto-Mow offers Free shipping for all orders above 1.500 Euro.



14 DAYS CREDIT

We have full confidence in our products. We give all dealers 2 weeks credit, so you can secure stock before you have to pay for it.

Auto-Mow will make a credit validation before we approve your account.



24/7 ACCOUNT MANAGER

We know that your time is valuable, and that trust and effective cooperation comes from good relationships. Therefore, we offer all our Auto-Mow dealers a personal account manager. One person who knows your needs and specializes in your market.

All your calls and E-mails to our account managers will be responded to within 24 hours during working days – and direct calls to our office will be answered within opening hours.




PRICE MATCH

No matter the price you have today, Auto-Mow will match it!

If you find a better price after the purchase, Auto-Mow will reimburse the difference.

Our Cable selection



PREMIUM SAFETY CABLE 3,8MM

The premium cable with 3-layer protection includes Rodent Repellent in the outer layer and has a strong metal mesh. The best cable for professional installers who prefer to use time on installations instead of repairs.

Inner core: 1,5mm²
Cable size: 3,8mm



STANDARD CABLE 3,4MM

The 3,4mm cable is suitable for all cable machines. A great, flexible standard cable for professional installers. For all robot mower installations.

Inner core: 1,5mm²
Cable size: 3,4mm



BASIC CABLE 2,7MM

The 2,7mm cable is ideal for installations above ground. A good basic cable for all robot mower installations.

Inner core: 1,5mm²
Cable size: 2,7mm

 Product video on www.auto-mow.com



Ø 3,8mm

Metal protection
High signal strength



First 3-layer safety cable with infused repellent. Auto-Mow offers a 10-year guarantee against animal bites and most garden tools!

A standard cable is typically broken 3,2 times within the robot mower's lifespan, which causes installers and consumers problems that often result in warranty issues, that the installer must pay.

Our Premium Safety Cable comes with an infused repellent, making sure animals only bite the cable once. Furthermore, it has 100% stronger metal mesh protection than our 3,6mm Safety Cable.

Suitable for any installation.

Premium Safety Cable

3,8mm

WITH AUTO-MOW'S PREMIUM SAFETY CABLE, YOUR NUMBER OF REPAIRS WILL BE NEXT TO NONE!

FEATURES:

- Rodent repellent
- Complicated installations
- 100% stronger mesh than on the 3,6mm Safety Cable
- 10-year repair guarantee
- Professional installation cable

3,8mm, Green, 800m SKU: 21333564





150m | 250m | 500m | 800m

Premium Safety Cable 3,8mm

3-layer safety cable with metal protection and infused repellent. Longer lifespan and better performance.

Our premium safety cable comes with an infused repellent, making sure animals only bite once and a 100% stronger metal mesh protection than our 3,6mm safety cable.

- Rodent repellent + 3-layer protection
- 100% stronger mesh than the 3,6mm
- 10-year guarantee
- Professional installation cable
- Complicated installations
- 3,8mm thickness includes: our superior protection and a more stable insulation of plastic



500m | 800m

Premium Safety Cable 3,8mm

3-layer safety cable with metal protection and infused repellent. In orange for an additional color option.

Our premium safety cable comes with an infused repellent, making sure animals only bite once and a 100% stronger metal mesh protection than our 3,6mm safety cable.

- Rodent repellent + 3-layer protection
- 100% stronger mesh than the 3,6mm
- 10-year guarantee
- Professional installation cable
- Complicated installations
- 3,8mm thickness includes: our superior protection and a more stable insulation of plastic



100m | 150m | 250m | 500m | 800m

Safety Cable 3,6mm

3-Layer cable with metal protection. We offer a 10-year guarantee against animal bites and most garden tools.

The special net protection is designed to prevent breakage while still providing a perfect signal for those who want to deliver high-quality installations.

- 3-layer protection
- Metal mesh
- 10-year guarantee
- Professional installation cable
- 3,6mm thickness includes: a high-quality metal protection



100m | 150m | 250m | 500m | 800m

Standard Cable 3,4mm

The 3,4mm green standard cable is a prime quality cable that works on all robot mower installations.

The cable is insulated with soft plastic to protect the cable. The cable is flexible, so it can be used for complicated installations and is compatible with all cable machines.

- Available in sizes: 100 / 150 / 250 / 500 / 800 meters
- Thickness: 3,4 mm – perfect for all cable machines
- All cables are provided with clearly printed meter markings



500m | 800m

Standard Cable 3,4mm

Choose the best color for your installation. Try orange cable for variations, and black for UV-protection.

Overall, these two cables are duplicates of our green standard cable. The only difference is the color. The black cable comes with UV-Protection.

- Available in sizes: 500 / 800 meters
- Thickness: 3,4 mm – perfect for all cable machines
- All cables are provided with clearly printed meter markings
- Wooden spools



100m | 150m | 250m | 500m | 800m | 1000m

Basic Cable 2,7mm

Our 2.7mm green basic cable can be used for all robotic lawnmower installations. It is recommended for installations above ground.

The biggest cable spool (500m, 800m and 1000m) comes in high quality wood instead of plastic, to minimize breakage.

- Available in sizes: 100 / 150 / 250 / 500 / 800 / 1000 meters
- Thickness: 2,7mm with a more stable insulation than most other cable types
- All cables are provided with clearly printed meter markings



SKU: 90979796


HONDA Fuel-driven cable machine

PWM 600MH Cable Machine

Designed by professionals to optimize the work of robotic mower installers.

Lightweight and compact cable machine for professionals, with a small turning radius. The 600MH has a distance guide that gives access to every corner and provides better precision, reducing the installation time.

- Powerful 4-stroke Honda GXH50 Engine, 2,1 HP
- Installs 600 meters per hour
- Wire depth 4-6 cm underground
- Ergonomic handle
- Wire size up to 6 mm
- Heavy-duty blades for all underground obstacles



SKU: 90978896

Battery-driven cable machine

PWM 600MH-LI Cable Machine

The best battery-driven cable machine for robot mower installations.

This battery-driven cable machine ensures a clean cut in the ground and places the cable easily in the ground around any edge or obstacle.

- Brushless 80/82V Lithium-Ion battery electric motor
- Silent and sustainable installation
- Emission free operation
- Ergonomic handle
- Can take up to 70% steep slopes
- Heavy duty blades for all underground obstacles

XS SKU: 33899790
S SKU: 33899789
M SKU: 33899791
L SKU: 33899793
XL SKU: 33899792



XS S M L XL

Installation Kits

These Installation Kits contain an all-in-one solution for your robot mower installation.

The installation kits contain:

- **X-Small:** 100 meter (2,7mm) cable, 100 bio pegs, 2 scotchlock, 3 docking station connectors
- **Small:** 150 meter (2,7mm) cable, 300 bio pegs, 5 scotchlock, 5 docking station connectors
- **Medium:** 250 meter (2,7mm) cable, 400 bio pegs, 5 scotchlock, 5 docking station connectors
- **Large:** 400 meter (2,7mm) cable, 600 bio pegs, 5 scotchlock, 5 docking station connectors
- **X-Large:** 500 meter (2,7mm) cable, 800 bio pegs, 5 scotchlock, 5 docking station connectors

S SKU: 45509738
M SKU: 45509742
L SKU: 45509743



S M L

Repair Kits

Repair any broken cable with this complete set of cable, plastic pegs and connectors.

You can also use the cable to include a smaller extra part of the garden to the total installation area. At the beginning of an installation or as an extension later on.

The Repair kits contain:

- **Small kit:** 5 meter (2,7mm) cable, 10 plastic pegs, 5 scotchlock
- **Medium kit:** 25 meter (2,7mm) cable, 10 plastic pegs, 5 scotchlock
- **Large kit:** 50 meter (2,7mm) cable, 10 plastic pegs, 5 scotchlock

1 pc SKU: 81939778
10 pcs SKU: 81939774



Choose where to cut

Robot ReDirect

Divide your lawn into areas and choose where your robot should run.

Robot ReDirect divides your lawn into several sections in which you can quickly and easily select or deselect mowing. You can leave out areas with e.g. toys or laundry while in use, and turn on to mow these areas later.

- Use 1 unit per area
- IP67 waterproof and frost resistant (-18 °C), so it can stay outside year after year.
- Screw it into the ground, and simply twist it to activate.
- Tested on Husqvarna, Ambrogio, STIHL, Robomow, Worx, Cup Cadet, AL-KO and other model robot mowers

Garages

YOUR ROBOT IS A MEMBER OF THE FAMILY

**Give it a house to keep it safe and sheltered all year round.
A personalized home that fits the garden.**

At Auto-Mow we offer a wide range of garages for robot mowers. In addition to keeping the robot sheltered from all kinds of weather, the garage also functions as a great feature in the garden.

Wooden garages made of fast growing wood, and our non-wooden garages of high quality aluminium.

 Product videos on www.auto-mow.com



My Robot Home



My Robot Home Plus




Alpine Garage



**Wooden Shelter -
wall mounted**



The Cube





AM Hybrid Grass

AM Hybrid grass gives natural grass the opportunity to recover and grow through the mesh.

AM Hybrid grass gives natural grass the opportunity to recover. Use it on steep areas in the garden where the robot tends to slide down. Ideal for the docking station where the grass is worn away by the robot - perfect for places where the grass does not grow.

The Hybrid grass makes sure you do not have to worry about the robot getting stuck anywhere on the lawn, allowing the robot to cut the entire lawn all year round.


FEATURES:

- Protects the lawn
- Gives the robot a better grip
- Use it by the docking station
- Made of: Synthetic grass
- Dimensions: 80cm x 80cm
- Includes bio-pegs

SKU: 57504114



The Flowerpot Garage



The Infinity Home



The Universal Garage



My Robot Home Plus/Compact

My Robot Home Plus SKU: 38981097

My Robot Home Compact SKU: 38981097

WITH WINDOWS, NAME TAG, AND SOLAR ILLUMINATION ABOVE THE GARAGE DOOR.

You do not have to program a timer – the garage door is mechanical, works without electricity, and is easy to adjust. The light runs on solar energy.

My Robot Home Plus has been our bestseller so far. Our new garage My Robot Home Compact has the same features, but comes in a smaller size, for small robots and gardens.

FEATURES:



- Mechanical door that opens and closes automatically
- Access the robot from the top
- Solar illumination
- Fits 90% of all robot mowers
- 2-year warranty
- Colour: grey / white
- Protects the robot all year round

• My Robot Home Plus:

Door dimensions: Width: 70cm, Height: 40cm

Garage length: 107cm

• My Robot Home Compact:

Door dimensions: Width: 55cm, Height: 33cm

Garage length: 83cm




Plus



Compact



Nature SKU: 38994299
White SKU: 38991098



With Automatic door

My Robot Home

My Robot Home opens and closes the door automatically.

My Robot Home has a clean design and is easy to adjust to your robot mower. Give it a personalized look by painting the garage exterior in any color of your choice.

- Mechanical door that opens and closes automatically
- High-quality wood
- 2-year warranty
- Protects the robot all year round
- Colour: white or Nature

Door dimensions: Width: 70cm, Height: 40cm

Garage length: 107cm

SKU: 38981198



A modern design with choice of black or white door

The Infinity Home

The Infinity Home protects and increases the lifespan of your robot mower by over 20%.

You can paint the wood of the base to personalize the garage. The cubic design of the garage highlights the modern design you can add to any garden.

- Solid hardwood
- Fits 90% of all robots
- 2-year warranty
- Great airflow
- Solar light spot

Door dimensions: 63,5cm x 37cm

Garage length: 97cm

Large, Black SKU: 38980299
Large, Nature SKU: 38980296
Medium, Black SKU: 38980298
Medium, Nature SKU: 38980295



Hidden compartment under the roof

Alpine Garage

The Alpine Garage from Auto-Mow is a garage for small and medium robots. It is made of high quality and sustainable wood.

Gain access to the robot and docking station from the opening in the roof. The garage fits in most gardens and can be painted by customers in any color. It is extremely easy to set up and can be installed within 10 minutes.

- UV and weather protection
- Storage space under the roof
- Easy access to the robot from the top
- 2-year warranty
- Colour: Nature

Door dimensions: Width: 53cm, Height: 30cm

Garage length: 64,7cm



Comes in two sizes and two colors

The Cube

The budget choice, that still provides the robot with the necessary protection.


The cube protects the docking station and robot mower, which increase the lifespan of the robot for many years.

- Great airflow
- 2-year warranty
- Removable Curtains
- Access to the robot from the top
- Protects the robot all year round

Garage sizes:

- **Medium Cube** - Size of door: 56cm x 35cm, Garage length: 93cm
- **Large Cube** - Size of door: 65cm x 40cm, Garage length: 104cm

Black SKU: 38980199
White SKU: 38981098



Comes in two colours: black and white

2 in 1 Flowerpot Garage

Auto-Mow presents the first flowerpot garage on the market, that hides away your robot from plain sight.

You can plant flowers in the top compartment, just like a traditional flowerpot. The garage also protects the docking station and robot mower, which increases the robot's lifespan for many years.

- All wooden parts have a double protective coating
- 2-year warranty
- Protects the robot all year round

Door dimensions: Width: 67cm, Height: 40cm
Garage length: 104cm

SKU: 38874299



Fits small and medium robots

Wooden Shelter - wall mounted

Our new roof garage is perfect for those wanting to integrate the robot mower garage with the house or the shed.

The wooden shelter is easy to assemble and install. Both can be done within a few minutes. It is a simple solution to protect the robot from the sun and prolong its lifespan.

- Fits all residential robots
- Can be assembled within minutes
- Fast-growing wood, Asphalt roof
- Cost efficient

Dimensions: Width: 65cm, Height: 23cm, Depth: 53cm



BUILDING BRAND VALUE

BIGMOW - Sponsor Home

Auto-Mow presents the best home for your Bigmow, built with an extremely long-lasting material that protects against everything from footballs to burglars.

The BIGMOW Sponsor Home offers a garage with a unique design. The garage fits the BIGMOW docking station and offers a perfect surface area for sponsorship, which can be used for example to promote the robot installers company or to generate advertising revenue from different sponsors.

Promote your business with **BIGMOW Sponsor Home** - *Sponsor Home for football fields.*

FEATURES:

- Strong build
- Sponsorship options
- Made for the BIGMOW robot lawn mower
- Prolongs the lifespan and keeps the robot safe

Dimensions: 159cm x 150cm x 66cm

SKU: 38999998

SKU: 38989998



Compatible with the L400

Ambrogio L400

This garage is for the Ambrogio L400.

The Ambrogio L400 has a sharp but modern look and comes in a variation of colours. Custom colours available upon request.

- Strong build
- Big enough to house the Ambrogio L400
- Prolongs the lifespan and keeps the robot safe
- Can be customized
- Standard colours: Black and gold

**COLOUR CUSTOMIZE
TO FIT ANY CLIENT**

SKU: 38969998



Flip it open to access the robot

Universal Garage

The Universal Garage is compatible with all robots mowing up to 5.000 m².

The Universal garage is very simple to assemble and includes pegs to secure the garage to the ground.

The suns UV light often fades the colours and can damage the battery over time. The Universal garage gives excellent UV protection for the robot mower.

- No maintenance
- Tilt the top
- Installed in minutes
- 2-year warranty
- Pegs to attach the garage are included

Dimensions: Width: 70cm, Height: 46cm
Garage length: 82cm



Blades

At Auto-Mow we develop our blades with the highest concern for safety. The blades are made of stainless steel, with an extra hard coating, designed to minimize the chance of breakage if the blade hits a rock or hard branch during cutting.

Stainless steel's strength, resistance to corrosion and low maintenance makes it the ideal material for our blades. Furthermore, we appreciate its long lifespan and that the material is 100% recyclable.

HIGH QUALITY AT A LOW COST



3 pcs SKU: 30014573
9 pcs SKU: 30014574
30 pcs SKU: 32994598
300 pcs SKU: 30014575



DIMENSIONS:
W 18,5mm
L 35,8mm
H 0,63mm

3 pcs 9 pcs 30 pcs 300 pcs

Endurance Safety Blades

Our latest blade model with swing technology!

Used for all Automowers. The swing technology ensures a longer lifespan for the blade.

- 100% more cutting with swing technology
- Same high quality as the Long-Life Safety Blades

9 pcs SKU: 35024072
30 pcs SKU: 35024099
300 pcs SKU: 35024079



DIMENSIONS:
W 18mm
L 35mm
H 0,75mm

9 pcs 30 pcs 300 pcs

Extreme Long-Life Safety Blades

Lasts 40% longer than traditional long-life safety blades.

The high-quality blade is designed to minimize the chance of breakage if it hits a rock or a hard branch during cutting, thereby preventing blade debris from scattering on the lawn.

- Including anodized screws
- Suitable for all Husqvarna Automower and Gardena robotic lawnmower models

9 pcs SKU: 30014572
30 pcs SKU: 35014599
300 pcs SKU: 30014578



DIMENSIONS:
W 18mm
L 35mm
H 0,6mm

9 pcs 30 pcs 300 pcs

Long-Life Safety Blades

Long-Life Safety blades 0,6mm for all Husqvarna Automowers.


Almost impossible to break and thereby preventing any blade debris from spreading on the lawn.

- Including anodized screws
- Suitable for all Husqvarna Automower and Gardena robotic lawnmower models
- DIN EN 50636 certified

1 pc SKU: 37504594
2 pcs SKU: 37504585
25 pcs SKU: 37894575

SKU: 37504589

SKU: 37994571



DIMENSIONS:
D 28cm



DIMENSIONS:
W 4,5cm
L 18cm



DIMENSIONS:
W 18,8mm
L 32mm
H 0,9mm

1 pc 2 pcs 25 pcs

1 pc

8 pcs

Robomow RC|RS Blades

Auto-Mow Robomow RC|RS stainless steel blade with an extra hard coating.

Auto-Mow offers as a standard 1- or 2-unit packs of spare blades. Also available for replacement blades in packs of 25 pcs for dealers that service Robomow robots.

- Packs of 1, 2 or 25 blades
- The blade is compatible with the Robomow robot lawn mower models of the RC|RS and MC|MS Series
- Material: stainless steel

Robomow RX|RT Blade

Auto-Mow Robomow RX|RT Stainless steel blade with an extra hard coating.

This knife is compatible with the Robomow RX|RT Series robot lawn mower.

- Includes replacement blade and tools to securely change the blades
- Material: stainless steel

Robomow RK Blades

Auto-Mow Robomow RK blades for the RK-Series.

Can be changed quickly with minimal effort, to keep the blades sharp at all times.

- Extremely sharp blades
- Material: stainless steel

SKU: 36733100



DIMENSIONS:
L 20cm

1 pc

Stihl|Viking iMOW Small RMI 4 Series (20 cm)

Made of the highest quality stainless steel for a extreme long-lasting protection.

This blade is 20cm long and is designed for robot models:

- Stihl: RMI 422, RMI 422 p, RMI 422 PC, RMI 522 C
- Viking: iMOW MI 4 Series

SKU: 31509789



DIMENSIONS:
L 28cm

1 pc

Stihl|Viking iMOW Large RMI 6 Series (28 cm)

Made of the highest quality stainless steel and coated for a extreme long-lasting protection.

This blade is 28cm long and is designed for robot models:

- Stihl: RMI 632, RMI 632 P, RMI 632 C, RMI 632 PC
- Viking: MI 632, MI 632 P, MI 632 C, MI 632 PC

SKU: 31509787



1 pc

Stihl|Viking iMOW 6-Series Blade Set

ALM 030 (30 cm)

Complete original replacement for STIHL|VIKING iMOW. Includes all the accessories required to change the STIHL|VIKING iMOW 6-Series Blade.

Box content: 1 x blade holder (catcher) with a mounting disc (blade screw).

- Suitable for: Stihl|Viking MI 632, MI 632 P, MI 632 C, MI 632 PC, STIHL RMI 632, RMI 632 P, RMI 632 C, RMI 632 PC
- iMOW knife holder including mounting disc for ALM 030

25cm SKU: 34899727
29cm SKU: 34899782
35cm SKU: 34899781



DIMENSIONS:
Ø 25cm
Ø 29cm
Ø 35cm

1 pc

Ambrogio 8 Star Blades

Ø 25/29/35cm

Ambrogio robot flat 8-tip star cutting blade 25cm, 29cm and 35cm.

The blade is compatible with Ambrogio models:

- 25cm compatibility: L85 Evolution (Green), LB75DX, LB75, LB1200
- 29cm compatibility: L400/i x3, L85 Elite (Red), LB75DX w7.5AH Battery, LB85EL, LB200EL, L200, L200-R LB75DX 7.5Ah, LB3250, LB3210, LB3200, LB2150, LB2000, Evolution, Professional, Deluxe, Ambrogio L250i
- 35cm compatibility: L350i, L300 Elite, LB300EL LB3550, LB3510, LB3500

18cm SKU: 34899726
25cm SKU: 34509727
29cm SKU: 34899783
35cm SKU: 34509781



DIMENSIONS:
Ø 18cm
Ø 25cm
Ø 29cm
Ø 35cm

1 pc

Ambrogio 4 Star Blades

Ø 18/25/29/35cm

Ambrogio robot flat 4-tip star cutting blade 18cm, 25cm, 29cm and 35cm.

The blade is compatible with Ambrogio models:

- 18cm compatibility: Ambrogio L20 Twenty Elite, Ambrogio L15, Techline next tech DX2, Wiper I70/I100 S/I130 S/I100 R
- 25cm compatibility: L85 Evolution (Green), LB75DX, LB75, LB1200
- 29cm Compatibility: The same as the 8-star blade
- 35cm compatibility: L350i, L300 Elite, LB300EL LB3550, LB3510, LB3500

18cm SKU: 34899725



DIMENSIONS:
Ø 18cm

1 pc

Ambrogio 4 Star Bended

Ø 18cm

Ambrogio robot bended 4-tip star cutting blade 18cm.

The blade is compatible with the models:

- Ambrogio L20 Twenty Elite
- Ambrogio L15
- Techline next tech DX2
- Wiper I70/I100 S/I130 S/I100 R

SKU: 39969999



DIMENSIONS:

W 20mm
L 70mm
H 0,6mm

9 pcs SKU: 39969972
300 pcs SKU: 39969975



DIMENSIONS:

W 24,2mm
L 93mm
H 1mm

15 pcs SKU: 39999986
30 pcs SKU: 39999987
300 pcs SKU: 39999988



DIMENSIONS:

W 42,5mm
L 17,5mm
H 0,5mm

6 pcs

AL-KO Robolino 500-700 I/E/W Blades

Good quality steel Robolino blades. Imported from Japan to ensure the best performance every time.

The stainless steel offers a longer cutting lifespan and will make sure that the user will not need to change the blades as often.

- Safety screws included
- High-quality stainless steel
- Suitable for AL-KO Robolino® (300, 500, 800, 1150), AL-KO Gudenaa 1000 W and by AL-KO 450, 700, 1200, 2000

9 pcs | 300 pcs

AL-KO Robolino 110, 1100, 3100, 4100 Blades

Good quality steel Robolino blades. Imported from Japan to ensure the best performance every time.

Stainless steel also offers a longer cutting lifespan and will make sure that the user will not need to change the blades as often.

- Safety screws included
- High-quality stainless steel
- Suitable for AL-KO Robolino® (110,1100,3100,4100), Silent 700 and Gudenaa R70

15 pcs | 30 pcs | 300 pcs

Belrobotics (BIGMOW) Blades

Focus on high quality for a long-lasting performance from every blade.

Auto-Mow also increased the quality of the screws, to make them more resistant to abrasion. This will minimize the chance of blade breakage during longer cutting sessions.

- Best quality safety blades
- Safety screws included
- Fits: (BIGMOW) Belrobotics, ECHO and Parcmow

9 pcs SKU: 36583094
300 pcs SKU: 36733097



DIMENSIONS:
W 18mm
L 39,2mm
H 0,5mm

9 pcs | 300 pcs

Honda Miimo Blades

The Auto-Mow Honda Miimo stainless steel blade has an extra hard coating that gives improved protection to the blade.

100% compatible with Honda Miimo® Automatic lawn mowers.

- Extremely sharp blades
- Safety screws included
- Quiet mowing
- High strength
- Long lifespan

SKU: 39969998



DIMENSIONS:
W 18mm
L 36mm
H 0,5mm

12 pcs

Worx Blades

Worx blades have a special sharpening technique, which sharpens the blades whilst cutting the grass.

Worx blades from Auto-Mow are meant to last longer because of the hardened steel.

- Safety screws included
- Material: stainless steel

SKU: 39999972



DIMENSIONS:
W 20mm
L 49mm
H 1mm

8 pcs

Bosch Blades

The Bosch robot blades come with screws made of hardened steel, to increase the amount of impact they can withhold.

The blades are made with new technology, designed to eliminate breakage if they hit a rock or a hard branch during cutting.

- Safety screws included
- Material: stainless steel



Installations and repairs

The main principles of robot lawnmower installations are the same no matter the garden. But the tools used for the installation, or repair, vary.

At Auto-Mow we continuously try to evolve and meet the requirements, by revolutionizing our product range. Supplying worldwide installers the best tools in the industry.

WE DEVELOP NEW PRODUCTS BASED ON EXPERIENCE - TO CREATE VALUE





AM Wire stripper 5-in-1

Regardless of the task, the 5-in-1 wirestripper will do the job. It is a must-have for our special 3-layer Premium Safety Cable

Use the wirestripper to strip off the outer plastic from the cable. The multi-function feature means that you only need one tool when installing cable, no matter the size of the cable.

FEATURES:

- Stripping
- Crimping
- Cutting
- Adjustable to fit any type and size of cable

SKU: 60503581



THE 5-IN-1 WIRE STRIPPER IS THE MOST PREFERRED TOOL OF OUR INSTALLERS!

SKU: 60509397



1 pc

AM Pro Tracker PLUS

AM Pro Tracker Plus is developed to make the search for cable breaks easy.

AM Pro Tracker Plus can locate wire breaks down to a depth of 2 meters, and is a must-have for any professional installer.

- Works for all cables
- Easy setup
- Customized display that improves useability
- Multiple track options
- Earth-Rod included
- USB Rechargeable
- The detected cable length can be up to 2 km

SKU: 60500197



1 pc

AM Pro Tracker

AM Pro Tracker can locate wire breaks up to 2 meter depth.

The AM Pro Tracker is easy to use, helping you find broken or damaged cable in just a few minutes.

- Detects the cable location in the underground, of the wall etc.
- Trace cable without signal interference
- The signal strength for transmitter and receiver is adjustable
- Capable of tracing cable breaks, such as single-core, 2-core, or multi-core cable
- The detected cable length can be up to 1 km

SKU: 60503597



1 pc

Basic Tracker

The Basic Cable Tracker works for cables above ground.

This tracker can locate up to 10 km of cable. Hold the tracker in close range to the wire to detect the cable break. The tracker can also be used if you dig up a buried cable.

We recommend using our Pro tracker for cables underground.

- Capable of tracing cable breaks, such as single-core, 2-core, or multi-core cable
- The detected cable length can be up to 10 km



AM Portable Heat Gun

Auto-Mow presents the best tool for any repair or installation of robot lawnmower cable.

This product has been designed to make repairs on boundary cable in any garden at any location. It is possible to do 30 repairs on one battery charge.

The heat gun runs on 18-volt power and the 4AH battery will provide you with a powerful heat blow. The max temperature is 550°C which gives the perfect heat needed for all heat shrink connectors.

PERFECT FOR ANY REPAIR

FEATURES:

- Cordless with lithium battery
- Repair over 30 boundary wires on one charge
- Used for heat shrink connectors
- Works for all robot mower cables
- Cooling system
- Battery: 4AH lithium battery
- Power: 18v DC
- Rated current: 15A
- Max temp: 550 °C
- Max airflow: 200L/min
- Runs per charge: 16,5 min

SKU: 62691699

10 pcs SKU: 53599474
50 pcs SKU: 53689475



10 pcs | 50 pcs

Pro Heat Shrink Kit

This kit contains heat shrink connectors and heat shrink tubes.

The two products together give the most secure underground connection of 2 boundary wires.

- For underground connections
- Perfect conductivity
- High level of glue
- Easy to shrink
- Strong connection

SKU: 53989924



10 pcs


Heat Shrink Repair kit

Auto-Mow is proud to present our repair kit for shortened wires.


There is normally a gap between the two ends of cable that needs repairing after the damaged cable is removed. The gap can often be 5 to 10cm.

The repair kit has a 10cm prolonged single connector that connects the wires together without the need for additional cable.

- 10 cm long
- Easy and simple repair
- Gives a better connection
- Saves time and installation material
- Professional repair for shortened wires
- Comes in packs of 10 pcs.



SKU: 53691698



100 pcs

Heat Shrink Connector

If you need a connector with a long lifespan, Auto-Mow recommends the heat shrink connector.

The heat shrink connector will protect the cable for many decades and will keep the cable 100% oxidation free. It is highly recommended for professional installations and repairs.

- Heat Shrink Connector with tin
- 100% waterproof
- Long-lasting connection
- Oxidation free

1,1mm - 3,1mm SKU: 53959720
 1,8mm - 4,6mm SKU: 53959722
 2,4mm - 6,4mm SKU: 53959723



100 pcs

Heat Shrink Tube

The heat shrink tube makes the connection strong, and can be used alone or together with the heat shrink connector.

For the best protection for any repair. You can also use the heat shrink tube around docking station connectors to make an even stronger connection protecting it from oxidation.

- High content of sealant
- Easy to shrink
- Solid connection
- Available in 3 sizes

Red SKU: 55693399
 Blue SKU: 55690699



100 pcs


Crimping Connector

Crimp the connector before heating it to seal it and create a safe installation.

Crimping connectors are one of the best connectivity solutions for underground installation or repairs. We recommend using the heat shrink tube around the connector for an even stronger connection.

- 100% Waterproof
- Great conductivity
- Red: 0,5 mm² - 1,5 mm²
- Blue: 1,5 mm² - 2,5 mm²

4 pcs SKU: 52530698
100 pcs SKU: 51690698



4 pcs | 100 pcs

Pro Guide Cable Connector


Avoid cutting the boundary cable by using a guide cable connector.

The Pro Guide Cable Connector is the preferred connector for all Automower-installers. It offers a 100% waterproof connection for underground cable.

You can use the Pro Guide Cable Connector to easily connect the guidewire to the perimeter cable, without cutting the cable.

- 100% waterproof
- Resistant to heat and cold with a polypropylene insulation
- Used to tap into a wirecircuit without cutting or stripping the wire

Red, 5 pcs SKU: 50543399
Red, 100 pcs SKU: 50953399
Blue, 5 pcs SKU: 50540698
Blue, 100 pcs SKU: 50690698



5 pcs | 100 pcs

Docking Station Connectors

Connect the boundary cable with the docking station connector.

A "must-have" for all installers. You only need pliers to install this connector.

- Red: conductors 0,5 mm² - 1 mm²
- Blue: conductors 1 mm² - 1,5 mm²

5 pcs SKU: 54541298
20 pcs SKU: 54681298
100 pcs SKU: 54691298



5 pcs | 20 pcs | 100 pcs

Scotchlock 314

The most used connector for underground installations.

This connector is used for many purposes but is mostly used for connecting the boundary cable underground.

- Provides an insulated connection for 2 to 3 wires
- Use this product with a mineral oil lubricant to create a tight seal that is resistant to moisture
- The insulated connector is designed to work with 22 to 14 AWG solid/stranded wires
- Corrosion resistance is provided by the tin plating that is constructed from high-quality brass for good conductivity
- Suitable for use at temperatures up to 105°C (221°F)



Biodegradable Pegs

Auto-Mow presents our ECO-Friendly pegs for all Robot mower installations.

Auto-Mow Biodegradable Pegs are the same high-quality as our regular plastic pegs. Study shows that 90% of all installers leave boundary cable in the ground, reinstalling a new cable in the same garden. These Biodegradable Pegs will make it easier to remove old cable and leave a clean installation, with only 1 cable in the ground over time.

TAKE A STAND - MAKE A DIFFERENCE - DON'T LEAVE A MARK

FEATURES:

- Green like the grass, and therefore easier to hide
- They decompose after 1-2 years and become compost
- Approved by EU regulations
- 100 Pcs
- A better solution for the environment

SKU: 40690124

SKU: 40690126



100 pcs

Extreme Biodegradable Pegs

It is time to change to eco-friendly pegs for robot installations.

We offer Biodegradable Pegs (Bio Pegs) with anchors on the edges for a stronger grip in the ground. Auto-Mow Biodegradable Pegs are approved for use in all gardens around the world.

- A better solution for the environment
- Anchors better into the ground
- Degradable in 1-2 years
- High-quality
- Low cost
- 100 pcs per bag

SKU: 40690123



100 pcs

Plastic Pegs

8,5cm - Use to install boundary cable, or to sell at a garden shop.

- High-quality plastic
- Low cost
- 100 pcs per bag

SKU: 40690125




100 pcs

Extreme Plastic Pegs

These extreme plastic pegs are used for boundary cable installations and for other gardening purposes.

With anchors on the edges so they will have a stronger grip in the ground.

- High-quality plastic
- Low cost
- 100 pcs per bag



18cm

NEW

Docking Station Pegs

18cm pegs - Used to secure the docking station into the ground.



The pegs are extremely strong and made to last. In the package we have included a hex drill that allows you to screw the pegs into the ground even in the dry season when the ground is hard.

The pegs can also be used to fasten other objects into the ground e.g. our winter box.

FEATURES:

- Easy to screw into the ground
- Strong plastic
- Works for Automower, Gardena, Ambrogio, Stiga and many other brands
- Contains: 6 pegs and 1 hex drill to securely screw the peg into the ground and secure the docking station

SKU: 41550126



Winter Box

The Winter Box is used when removing the docking station during winter.

The box is a 100% waterproof sealed box and can accommodate up to 5 cables with docking station connectors attached, and 1 adaptor cable. The box creates a perfect guard for the boundary cable and the connectors, to avoid moisture in the winter. Protecting the installation over winter, will prolong the lifespan of the installation, docking station and robot.

SKU: 46504297

WATERPROOF PROTECTION ALL YEAR!

FEATURES:

- IP67 waterproof
- Suitable for all robot brands
- Easy to install
- Fasten to the ground
- Size: Length: 21cm, Width: 10cm, Height: 8,6cm
- Contains: 1 waterproof box and 2 x 18cm pegs



 www.auto-mow.cz

 obchod@auto-mow.cz

 +420 724 046 874